

## FRAISES STANDARD KBK - 30 MM

### Caractéristiques :

Profondeur de coupe : 30 mm.

Queue de montage 19 mm. Weldon (3/4") pour fraises Ø 12 à 60 mm.

Queue de montage 32 mm. Weldon (1-1/4") pour fraises Ø 61 à 130 mm.

Ø mm	Prof.percentage	Réf.	PRIX H.T.	Ø mm	Prof.percentage	Réf.	PRIX H.T.
12	30	127KBK012		58	30	127KBK058	
13	30	127KBK013		59	30	127KBK059	
14	30	127KBK014		60	30	127KBK060	
15	30	127KBK015		61	30	127KBK061	
16	30	127KBK016		62	30	127KBK062	
17	30	127KBK017		63	30	127KBK063	
18	30	127KBK018		64	30	127KBK064	
19	30	127KBK019		65	30	127KBK065	
20	30	127KBK020		66	30	127KBK066	
21	30	127KBK021		67	30	127KBK067	
22	30	127KBK022		68	30	127KBK068	
23	30	127KBK023		69	30	127KBK069	
24	30	127KBK024		70	30	127KBK070	
25	30	127KBK025		71	30	127KBK071	
26	30	127KBK026		72	30	127KBK072	
27	30	127KBK027		73	30	127KBK073	
28	30	127KBK028		74	30	127KBK074	
29	30	127KBK029		75	30	127KBK075	
30	30	127KBK030		76	30	127KBK076	
31	30	127KBK031		77	30	127KBK077	
32	30	127KBK032		78	30	127KBK078	
33	30	127KBK033		79	30	127KBK079	
34	30	127KBK034		80	30	127KBK080	
35	30	127KBK035		81	30	127KBK081	
36	30	127KBK036		82	30	127KBK082	
37	30	127KBK037		83	30	127KBK083	
38	30	127KBK038		84	30	127KBK084	
39	30	127KBK039		85	30	127KBK085	
40	30	127KBK040		86	30	127KBK086	
41	30	127KBK041		87	30	127KBK087	
42	30	127KBK042		89	30	127KBK089	
43	30	127KBK043		90	30	127KBK090	
44	30	127KBK044		91	30	127KBK091	
45	30	127KBK045		92	30	127KBK092	
46	30	127KBK046		93	30	127KBK093	
47	30	127KBK047		94	30	127KBK094	
48	30	127KBK048		95	30	127KBK095	
49	30	127KBK049		96	30	127KBK096	
50	30	127KBK050		97	30	127KBK097	
51	30	127KBK051		98	30	127KBK098	
52	30	127KBK052		99	30	127KBK099	
53	30	127KBK053		100	30	127KBK100	
54	30	127KBK054		110	30	127KBK110	
55	30	127KBK055		120	30	127KBK120	
56	30	127KBK056		130	30	127KBK130	
57	30	127KBK057					

## FRAISES STANDARD KBL - 55 MM

### Caractéristiques :

Profondeur de coupe : 55 mm.

Queue de montage 19 mm. Weldon (3/4") pour fraises Ø 12 à 60 mm.

Queue de montage 32 mm. Weldon (1-1/4") pour fraises Ø 61 à 100 mm.

Ø mm	Prof.percentage	Réf.	PRIX H.T.	Ø mm	Prof.percentage	Réf.	PRIX H.T.
14	55	127KBL014		60	55	127KBL060	
15	55	127KBL015		61	55	127KBL061	
16	55	127KBL016		62	55	127KBL062	
17	55	127KBL017		63	55	127KBL063	
18	55	127KBL018		64	55	127KBL064	
19	55	127KBL019		65	55	127KBL065	
20	55	127KBL020		66	55	127KBL066	
21	55	127KBL021		67	55	127KBL067	
22	55	127KBL022		68	55	127KBL068	
23	55	127KBL023		69	55	127KBL069	
24	55	127KBL024		70	55	127KBL070	
25	55	127KBL025		71	55	127KBL071	
26	55	127KBL026		72	55	127KBL072	
27	55	127KBL027		73	55	127KBL073	
28	55	127KBL028		74	55	127KBL074	
29	55	127KBL029		75	55	127KBL075	
30	55	127KBL030		76	55	127KBL076	
31	55	127KBL031		77	55	127KBL077	
32	55	127KBL032		78	55	127KBL078	
33	55	127KBL033		79	55	127KBL079	
34	55	127KBL034		80	55	127KBL080	
35	55	127KBL035		81	55	127KBL081	
36	55	127KBL036		82	55	127KBL082	
37	55	127KBL037		83	55	127KBL083	
38	55	127KBL038		84	55	127KBL084	
39	55	127KBL039		85	55	127KBL085	
40	55	127KBL040		86	55	127KBL086	
41	55	127KBL041		87	55	127KBL087	
42	55	127KBL042		88	55	127KBL088	
43	55	127KBL043		89	55	127KBL089	
44	55	127KBL044		90	55	127KBL090	
45	55	127KBL045		91	55	127KBL091	
46	55	127KBL046		92	55	127KBL092	
47	55	127KBL047		93	55	127KBL093	
48	55	127KBL048		94	55	127KBL094	
49	55	127KBL049		95	55	127KBL095	
50	55	127KBL050		96	55	127KBL096	
51	55	127KBL051		97	55	127KBL097	
52	55	127KBL052		98	55	127KBL098	
53	55	127KBL053		99	55	127KBL099	
54	55	127KBL054		100	55	127KBL100	
55	55	127KBL055					
56	55	127KBL056					
57	55	127KBL057					
58	55	127KBL058					
59	55	127KBL059					



### EJECTEURS HUILE POUR KBK



Désignation	Réf.	PRIX H.T.
Ø 12 à 60 mm	127973	
Ø 61 à 130 mm	127974	